

22" Flexline Self-service terminal



The preferred choice
when flexibility is in focus



Table



Floor



Wall

Simplistic design that fits into all environments.

The same vital components are included in both floor, table and wall-mounted models

Flexible placement options with the customer

Uniform hardware which is optimal when creating a Software Image.


1 - 2 - 3
options

Safety

No access to USB ports, printer or scanner.

Robust steel cabinet with lock.

Optional fixing to the floor.



Service friendly

Front-operated access for easy paper roll replacement.

Electricity and Network

Easy connection to power and network via built-in power panel

User friendly


Adapted height of the stand and the tilt of the screen provide optimal user-friendliness

Optional: height-adjustable function



Click-on modules

RFID, camera, fingerprint, card reader, 2D scanner and lightbar modules are easily connected directly to the VL-600 without additional brackets.



Robust and reliable

Fully cast aluminum cabinet with an elegant silver border. The VL-700 is presented in a simple and timeless design, and combines great operational reliability and stability.



IP65 certified front

IP65 dust and water repellent front and glass-to-edge design, makes cleaning the device an easy breeze.

Innovation Through Modular Design

An integrated, detachable PC module on the rear, allows effortless replacement while supporting a sustainable and resource-efficient reuse practice.

BOX 7 koncept

- Easy Upgrade
- Optimal Serviceability





Fanless
Design



Modular
Design



Hidden
buttons



Win 11



Locked drawer



Handicap friendly



RFID
(Option)




2D Scanner
(Option)



Intel

Reliable and timeless

The 27" display on the Flexline features a sleek, timeless design, combining outstanding reliability with exceptional stability



Printer and Scanner

FlexLine prints on both 60g and 140g paper and labels.

FlexLine is available with and without scanner.

Option



Height Adjustment Function

Flexline is available with a height-adjustable feature, allowing effortless use for everyone – tall or short, seated or standing. We call it accessibility design with care.


Adjustable

- Low: 113 cm
- High: 140 cm

vs.

Non adjustable

- 123 cm





Inclusive Navigation Made Simple

Make your kiosk inclusive, compliant, and user-friendly with AudioNav EF.

(Software customization required)

Option

Assistive Technology

Available with Assistive Technology, allowing the stand to be used by everyone – including the visually impaired.

Adjustable volume and speech speed ensure a comfortable experience, while support for headsets and handsets enables clear voice interaction. It also includes a Bluetooth Low Energy module which facilitates a one-to-one connection with the user's personal

smartphone or tablet device via the Storm Touchless-CX app. AudioNav EF gives all users the freedom to navigate self-service kiosks with ease.

Through spoken guidance and a tactile keypad, customers with visual, motor or reading difficulties can confidently explore menus and make selections.



Payment Module - Seamless Self-Service Transactions

With an integrated payment module, your kiosk becomes a fully self-sufficient solution, enabling fast, secure, and effortless transactions without staff assistance and empowering your customers to complete purchases independently.


Reduce queues, save resources, and deliver a smooth, professional customer experience every time.



Option

Specifications VL-700

Model		VL-700 - G35 - Gen. 13	VL-700 - G75U - Gen. 14
System	Processor	Intel® Celeron N95 / i3 N305	Intel® Meteor Lake Core Ultra i5 125U
	Memory	8G (DDR4)	8G (DDR5)
	Storage	128G/256G SSD (M.2)	
	Supported OS	Windows 10/11IoT Enterprise, Linux	
Display	Size and Resolution	15.6" 1920 x 1080 / 21.5" 1920 x 1080	
	Touch Screen	True-Flat PCAP multi-touch	
Audio	Speaker	1x 3W	
LAN	LAN	1x RJ45	
	Wireless LAN	WiFi USB dongle (Option)	
Printer	Kiosk Printer	Nippon Piimex NP3511D-2 80mm Thermo	
Model Size & Weight	Wall	H44 x B53.6 x D23 - 20.0 kg	
	TableTop	H45 x B53.6 x D23 - 20.0 kg	
	Floor	H123 x B53.6 x D36 - 38.8 kg	
Option	2D Scanner	Honeywell	
	MSR	3-Track MSR	
	Camera	5MP	



Specifications VL-600

	<i>Model</i>	<i>Flexline - VL-622 - G35</i>
System	<i>Processor</i>	<i>Intel® Celeron N95 / i3 N305</i>
	<i>Memory</i>	<i>8G (DDR4)</i>
	<i>Storage</i>	<i>128G/256G SSD (M.2)</i>
	<i>Supported OS</i>	<i>Windows 10/11IoT Enterprise, Linux</i>
Display	<i>Size and Resolution</i>	<i>15.6" 1920 x 1080 / 21.5" 1920 x 1080</i>
	<i>Touch Screen</i>	<i>True-Flat PCAP multi-touch</i>
Audio	<i>Speaker</i>	<i>1x 3W</i>
LAN	<i>LAN</i>	<i>1x RJ45</i>
	<i>Wireless LAN</i>	<i>WiFi USB dongle (Option)</i>
Printer	<i>Kiosk Printer</i>	<i>Nippon Piimex NP3511D-2 80mm Thermo</i>
Model Size & Weight	<i>Wall</i>	<i>H44 x B53.6 x D23 - 20.0 kg</i>
	<i>TableTop</i>	<i>H45 x B53.6 x D23 - 20.0 kg</i>
	<i>Floor</i>	<i>H123 x B53.6 x D36 - 38.8 kg</i>
Option	<i>2D Scanner</i>	<i>Honeywell HF520</i>
	<i>MSR</i>	<i>3-Track MSR</i>
	<i>Fingerprint</i>	<i>Fingerprint Reader</i>
	<i>NFC</i>	<i>NFC Reader</i>

